



TECHNICAL DATA SHEET **BENCHES**

HPL AND STAINLESS STEEL BENCHES



CHARACTERISTICS

Stainless steel structure

Manufactured in stainless steel tube of 1.5 mm thickness, of quality AISI 304: High resistance against humidity.

High resistance.

Include PVC caps.

Adjustable plug for legs.

Seat, shoe-rack, hooks and upper rack

Made with compact slats of phenolic resins (High Pressure Laminated HPL).

Rigid material, hydrophobic, antibacterial and recommended for wet areas.

Highly resistant against wear, that is why it is ideal for applications with a high index of use and frequent cleaning.

Core of black/ brown colour.

According to the european norms EN 438-1 and EN 438-2.

Density 1450 Kg/m³ according to DIN 53479.

Water-absorbtion of less than 3%.

Panel of 10 mm thickness.

Rounded edges.

Maintenance-free.

Easy cleaning

The nonporous surface repels dirt. Easy cleaning, with normal chemical detergents or with sanitizing products, against which the material is inalterable. In case of cleaning it from graffitis it can be used an organic dissolvent without risk of alteration of the colour. Resistant against food residuals and colourants, as they do not affect neither the properties nor the appearance of the HPL (phenolic material).


Steel wool or similar products, are absolutely not recommended, as they would damage the surface with scratches and so produce little stabs of corrosion. Pay special attention at the use of materials which contain chlorides, as they are contraindicated, because they cause oxidation. Hydrochloric acid or iron products in a prolonged contact are also not recommended. Do never use common steel detergents for stainless steel. **IMPORTANT:** Dry well the metal components (tubes).

Complements


Hooks made of zamak (Alloy of zinc with aluminium, magnesium and copper. Hardness and good mechanical resistance).

Stainless steel screws A2.

HPL COLOURS (SLATS)




WHITE
F-085



LIGHT GREY
F-0074




DARK BLUE
M-0717



DARK GREY
F-0077



RED
F-0210



CREAM
F-0851



YELLOW
F-0010



ORANGE
F-0011



LIGHT GREEN
F-0725




DARK GREEN
F-0591



TURQUOISE
F-0876



BURGUNDY
F-0318




LIGHT BLUE
F-0718




ALUMINIUM
F-0193



BLACK
F-0080




LIGHT WOOD
FM-100



DARK WOOD
FM-200




ASH OAK
F-3235



ROCK CEMENT
F-0026




EARTH CEMENT
F-0027




CHOCOLATE
F-0863

OPTIONS




Floor fixing




Rack options

COMBINATIONS AND DIMENSIONS


BANC-1-FEN SERIES



BANC-1-1000-FEN-INOX
12kg · 0,16m³




BANC-1-1500-FEN-INOX
18kg · 0,24m³




BANC-1-2000-FEN-INOX
24kg · 0,33m³


BANC-2-FEN SERIES




BANC-2-1000-FEN-INOX
24kg · 0,23m³ · 5 ↓




BANC-2-1500-FEN-INOX
32kg · 0,3m³ · 8 ↓




BANC-2-2000-FEN-INOX
37kg · 0,31m³ · 10 ↓



BANC-2-1000-FEN-INOX
48kg · 0,46m³ · 10 ↓




BANC-2-1500-FEN-INOX
64kg · 0,6m³ · 16 ↓




BANC-2-2000-FEN-INOX
74kg · 0,62m³ · 20 ↓

COMBINATIONS AND DIMENSIONS


BANC-3-FEN SERIES




BANC-3-1000-FEN-INOX
31,5kg · 0,23m³ · 5 ↓




BANC-3-1500-FEN-INOX
38,5kg · 0,3m³ · 8 ↓




BANC-3-2000-FEN-INOX
43,5kg · 0,31m³ · 10 ↓



BANC-3-1000-FEN-INOX
63kg · 0,46m³ · 10 ↓



BANC-3-1500-FEN-INOX
77kg · 0,6m³ · 16 ↓



BANC-3-2000-FEN-INOX
87kg · 0,62m³ · 20 ↓