

TECHNICAL DATA SHEET

**ECO PRO LOCKERS**

*V, T, M, C, P, B, Z and L SERIES*





# SERIES



**ECOV PRO SERIES**  
1 door per column



**ECOT PRO SERIES**  
2 doors per column



**ECOM PRO SERIES**  
3 doors per column



**ECOC PRO SERIES**  
4 doors per column



**ECOP PRO SERIES**  
5 doors per column



**ECOB PRO SERIES**  
6 doors per column



**ECOZ PRO SERIES**  
8 doors per column



**ECOL PRO SERIES**  
2 L-shaped doors per column



# CHARACTERISTICS

Manufactured with cold laminated steel sheet metal, quality DC 01, according to the European Norm EN 10130 with a carbon content of less than 0.12%.

Metal thickness of 0.6 mm.

Previous passivation and degreasing treatment with amorphous phosphating before painting.

Dried in a polymerization oven at 180°C during 15 minutes.

Painted with Epoxy-polyester-powder, through robotized cabins.

Initial and adds system.

Easy assembly with screws and screw nuts. Extendable as you need (screws and screw nuts included).

100% recyclable steel.

## Side panels, tops, socles and separations

Painted in grey RAL 7035 Micro-textured paint finish. Minimum thickness of 50 micrometer.

## Metal doors

Painted in blue RAL 5010 or grey RAL 7035, micro-textured finish.

Minimum thickness of 50 microns.

Doors with perimetric double folding.

Borders without cutting edges. Hidden hinges.

With name-card holder.

With ventilation rosettes at the models ECOV-ECOT-ECOM, ECOC, ECOP, ECOB and ECOZ.

Chromed standard cylinder locks with two keys per lock.

Door with longitudinal reinforcement in the ECOV and ECOT-40 models.

“L-shape” formed by two swing doors, a large one and a short one (ECOL series).

## Melamine doors

Doors in melamine or hydrophobic melamine of one design at two faces. 19 mm thicknesses. PVC-edged. PVC edging in the same colour as the door.

## HPL doors

Made of HPL-panels of phenolic resins of 12 mm thickness.

## Methacrylate doors

Transparent methacrylate door of 10 mm thickness.

## Backpanel, shelves and coat rod

Made of galvanized steel, quality DX51D according to the norm EN-10346.

Shelf and coat rod at the ECOV-Series.

Coat rod at the ECOT-Series.



Inside **ECOV PRO**



Inside **ECOT PRO**



# METALLIC COLOURS

## STANDARD COLOURS



**RAL 5010**  
Gencana blue  
Código HEX: #004f7c



**RAL 7035**  
Luminous grey  
Código HEX: #c5c7c4

## GROUP 1




**RAL 9010**  
Pure white  
Código HEX: #f1ece1




**RAL 3000**  
Red  
Código HEX: #a72920



**RAL 6034**  
Pastel turquoise  
Código HEX: #7aacac




**RAL 7016**  
Anthracite grey  
Código HEX: #383e42



**RAL 9005**  
Intense black  
Código HEX: #0e0e10

## GROUP 2



**RAL 9001**  
Cream white  
Código HEX: #e9e0d2



**RAL 1017**  
Saffron yellow  
Código HEX: #f6a950



**RAL 1021**  
Rapeseed yellow  
Código HEX: #f6b600



**RAL 2004**  
Pure orange  
Código HEX: #e25303



**RAL 3017**  
Pink  
Código HEX: #cb555d



**RAL 3005**  
Wine red  
Código HEX: #59191f



**RAL 4005**  
Lilac  
Código HEX: #76689a



**RAL 6029**  
Mint green  
Código HEX: #006f3d



**RAL 5015**  
Sky blue  
Código HEX: #007cb0



**RAL 5023**  
Distant blue  
Código HEX: #42698c



**RAL 9006**  
White aluminium  
Código HEX: #a1a1a0




**RAL 7036**  
Platinum grey  
Código HEX: #979392




# MELAMINE COLOURS

## WATER-RESISTANT MELAMINE COLOURS



**WHITE**  
M-060



**LIGHT GREY**  
M-34W



**RED**  
M-172




**DARK BLUE**  
M-55C



**DARK GREY**  
M-4AT

## MELAMINE COLOURS



**CREAM**  
M-183



**YELLOW**  
M-22G



**ORANGE**  
M-28G



**GREEN**  
M-023



**LIGHT BLUE**  
M-U522



**ALUMINIUM**  
M-72E



**BLACK**  
M-231



**BEECH**  
MM-240




**ACACIA**  
M-50D




**CALEDORIAN OAK**  
M-515



**JOPLIN OAK**  
M-17N




**JACKET OAK**  
M-75V



**TAIGA ASH**  
M-18N



**APOLO CEMENT**  
M-99Q




**TEIDE CEMENT**  
M-06F




# HPL COLOURS




**WHITE**  
F-085




**LIGHT GREY**  
F-0074



**DARK BLUE**  
M-0717




**DARK GREY**  
F-0077




**RED**  
F-0210



**CREAM**  
F-0851




**YELLOW**  
F-0010




**ORANGE**  
F-0011




**LIGHT GREEN**  
F-0725




**DARK GREEN**  
F-0591




**TURQUOISE**  
F-0876




**BURGUNDY**  
F-0318



**LIGHT BLUE**  
F-0718




**ALUMINIUM**  
F-0193



**BLACK**  
F-0080




**LIGHT WOOD**  
FM-100



**DARK WOOD**  
FM-200



**ASH OAK**  
F-3235



**ROCK CEMENT**  
F-0026




**EARTH CEMENT**  
F-0027



**CHOCOLATE**  
F-0863




# LOCKS



**Key lock**  
For metal doors




**Latch bolt**  
For melamine doors  
For HPL doors  
For methacrylate doors




**Padlockable Polyamide Lock**  
For metal doors



**Padlockable Metallic Lock 1**  
For metal doors




**Padlockable Metallic Lock 2**  
For metal doors  
For melamine doors  
For HPL doors  
For methacrylate doors



**Metal handle**  
For metal doors  
For melamine doors  
For HPL doors  
For methacrylate doors



**Coin-operated Lock (coin-return)**  
For metal doors  
For melamine doors  
For HPL doors  
For methacrylate doors




**Coin-operated Lock + Coin Collect Box**  
For metal doors  
For melamine doors  
For HPL doors  
For methacrylate doors



**Lock of 4 manual digits with emergency key**  
For metal doors  
For melamine doors  
For HPL doors  
For methacrylate doors



**TELEC**  
**Electronic lock combination**  
For metal doors  
For melamine doors  
For HPL doors  
For methacrylate doors



**PROXI**  
**Electronic lock of proximity**  
For metal doors  
For melamine doors  
For HPL doors  
For methacrylate doors




**TELOCK**  
**Electronic lock combination**  
For metal doors  
For melamine doors  
For HPL doors  
For methacrylate doors



**SOLOCK**  
**Electronic lock combination**  
For metal doors  
For melamine doors  
For HPL doors  
For methacrylate doors




# OPTIONS



Mailbox slot




Slope top  
RAL 7035 colour



Upper small joined jocker  
Body RAL 7035 and doors in  
RAL 7035 or RAL 5010




Decorative end panel  
RAL 7035 colour




Centre part division  
ECOV-40 series




Mirror




Adjustable PVC legs



Painted steel legs




Adjustable galvanized  
steel legs




Socle  
Galvanized steel, painted  
steel or stainless steel




Antibacterian paint




Elastic bracelet  
With numbering option




Additional shelf



Melamine door  
ECOT, ECOM, ECOC, ECOP,  
ECOB and ECOZ



HPL door  
ECOT, ECOM, ECOC, ECOP,  
ECOB and ECOZ




Methacrylate door  
ECOT, ECOM, ECOC, ECOP,  
ECOB and ECOZ




# COMBINATIONS AND DIMENSIONS

## ECOV PRO SERIES




**ECOV-25/1 PRO** 16,7kg · 0,22m<sup>3</sup>    **ECOV-25/2 PRO** 27,9kg · 0,45m<sup>3</sup>    **ECOV-25/3 PRO** 39,1kg · 0,67m<sup>3</sup>    **ECOV-25/4 PRO** 50,3kg · 0,9m<sup>3</sup>    **ECOV-30/1 PRO** 19kg · 0,27m<sup>3</sup>    **ECOV-30/2 PRO** 30,2kg · 0,54m<sup>3</sup>




**ECOV-30/3 PRO** 46kg · 0,81m<sup>3</sup>    **ECOV-30/4 PRO** 59,5kg · 1,08m<sup>3</sup>    **ECOV-40/1 PRO** 20,3kg · 0,36m<sup>3</sup>    **ECOV-40/2 PRO** 35,1kg · 0,72m<sup>3</sup>    **ECOV-40/3 PRO** 49,9kg · 1,08m<sup>3</sup>

## ECOT PRO SERIES



**ECOT-25/1 PRO** 18,4kg · 0,22m<sup>3</sup>    **ECOT-25/2 PRO** 31,3kg · 0,45m<sup>3</sup>    **ECOT-25/3 PRO** 44,2kg · 0,67m<sup>3</sup>    **ECOT-25/4 PRO** 57,1kg · 0,9m<sup>3</sup>    **ECOT-30/1 PRO** 19,1kg · 0,27m<sup>3</sup>    **ECOT-30/2 PRO** 33,2kg · 0,54m<sup>3</sup>




**ECOT-30/3 PRO** 47,3kg · 0,81m<sup>3</sup>    **ECOT-30/4 PRO** 61,4kg · 1,08m<sup>3</sup>    **ECOT-40/1 PRO** 23kg · 0,36m<sup>3</sup>    **ECOT-40/2 PRO** 41kg · 0,72m<sup>3</sup>    **ECOT-40/3 PRO** 59kg · 1,08m<sup>3</sup>




# COMBINATIONS AND DIMENSIONS

## ECOM PRO SERIES




**ECOM-25/1 PRO** 19,9kg . 0,22m<sup>3</sup>    **ECOM-25/2 PRO** 33,8kg . 0,45m<sup>3</sup>    **ECOM-25/3 PRO** 47,7kg . 0,67m<sup>3</sup>    **ECOM-25/4 PRO** 61,6kg . 0,9m<sup>3</sup>    **ECOM-30/1 PRO** 21,2kg . 0,27m<sup>3</sup>    **ECOM-30/2 PRO** 36,4kg . 0,54m<sup>3</sup>




**ECOM-30/3 PRO** 51,6kg . 0,81m<sup>3</sup>    **ECOM-30/4 PRO** 66,8kg . 1,08m<sup>3</sup>    **ECOM-40/1 PRO** 24,2kg . 0,36m<sup>3</sup>    **ECOM-40/2 PRO** 42,4kg . 0,72m<sup>3</sup>    **ECOM-40/3 PRO** 60,6kg . 1,08m<sup>3</sup>

## ECOC PRO SERIES



**ECOC-25/1 PRO** 20,8kg . 0,22m<sup>3</sup>    **ECOC-25/2 PRO** 35,6kg . 0,45m<sup>3</sup>    **ECOC-25/3 PRO** 50,4kg . 0,67m<sup>3</sup>    **ECOC-25/4 PRO** 65,2kg . 0,9m<sup>3</sup>    **ECOC-30/1 PRO** 22,3kg . 0,27m<sup>3</sup>    **ECOC-30/2 PRO** 38,6kg . 0,54m<sup>3</sup>




**ECOC-30/3 PRO** 54,9kg . 0,81m<sup>3</sup>    **ECOC-30/4 PRO** 71,2kg . 1,08m<sup>3</sup>    **ECOC-40/1 PRO** 25,7kg . 0,36m<sup>3</sup>    **ECOC-40/2 PRO** 45,4kg . 0,72m<sup>3</sup>    **ECOC-40/3 PRO** 65,1kg . 1,08m<sup>3</sup>




# COMBINATIONS AND DIMENSIONS


## ECOPRO SERIES



**ECOP-25/1 PRO**  
21,7kg · 0,22m<sup>3</sup>




**ECOP-25/2 PRO**  
38,4kg · 0,45m<sup>3</sup>




**ECOP-25/3 PRO**  
55,1kg · 0,67m<sup>3</sup>



**ECOP-25/4 PRO**  
71,8kg · 0,9m<sup>3</sup>




**ECOP-30/1 PRO**  
23,4kg · 0,27m<sup>3</sup>




**ECOP-30/2 PRO**  
40,9kg · 0,54m<sup>3</sup>



**ECOP-30/3 PRO**  
58,4kg · 0,81m<sup>3</sup>




**ECOP-30/4 PRO**  
75,9kg · 1,08m<sup>3</sup>



**ECOP-40/1 PRO**  
27,1kg · 0,36m<sup>3</sup>




**ECOP-40/2 PRO**  
48,3kg · 0,72m<sup>3</sup>




**ECOP-40/3 PRO**  
69,5kg · 1,08m<sup>3</sup>


## ECOB PRO SERIES




**ECOB-25/1 PRO**  
22,6kg · 0,22m<sup>3</sup>




**ECOB-25/2 PRO**  
40,2kg · 0,45m<sup>3</sup>




**ECOB-25/3 PRO**  
57,8kg · 0,67m<sup>3</sup>




**ECOB-25/4 PRO**  
75,4kg · 0,9m<sup>3</sup>




**ECOB-30/1 PRO**  
24,5kg · 0,27m<sup>3</sup>




**ECOB-30/2 PRO**  
44kg · 0,54m<sup>3</sup>



**ECOB-30/3 PRO**  
63,5kg · 0,81m<sup>3</sup>




**ECOB-30/4 PRO**  
83kg · 1,08m<sup>3</sup>



**ECOB-40/1 PRO**  
28,1kg · 0,36m<sup>3</sup>



**ECOB-40/2 PRO**  
51,2kg · 0,72m<sup>3</sup>




**ECOB-40/3 PRO**  
74,3kg · 1,08m<sup>3</sup>




# COMBINATIONS AND DIMENSIONS


## ECOZ PRO SERIES




**ECOZ-25/1 PRO**  
24,4kg · 0,22m<sup>3</sup>




**ECOZ-25/2 PRO**  
43,8kg · 0,45m<sup>3</sup>




**ECOZ-25/3 PRO**  
63,2kg · 0,67m<sup>3</sup>




**ECOZ-25/4 PRO**  
82,6kg · 0,9m<sup>3</sup>




**ECOZ-30/1 PRO**  
26,7kg · 0,27m<sup>3</sup>




**ECOZ-30/2 PRO**  
48,4kg · 0,54m<sup>3</sup>




**ECOZ-30/3 PRO**  
70,1kg · 0,81m<sup>3</sup>




**ECOZ-30/4 PRO**  
91,8kg · 1,08m<sup>3</sup>



**ECOZ-40/1 PRO**  
30,9kg · 0,36m<sup>3</sup>




**ECOZ-40/2 PRO**  
56,8kg · 0,72m<sup>3</sup>




**ECOZ-40/3 PRO**  
82,7kg · 1,08m<sup>3</sup>


## ECOL PRO SERIES




**ECOL-30/1 PRO**  
24,4kg · 0,27m<sup>3</sup>




**ECOL-30/2 PRO**  
42,9kg · 0,54m<sup>3</sup>




**ECOL-30/3 PRO**  
61,3kg · 0,81m<sup>3</sup>




**ECOL-30/4 PRO**  
79,8kg · 1,08m<sup>3</sup>



**ECOL-40/1 PRO**  
28,1kg · 0,36m<sup>3</sup>



**ECOL-40/2 PRO**  
50,2kg · 0,72m<sup>3</sup>



**ECOL-40/3 PRO**  
72,3kg · 1,08m<sup>3</sup>



# INTERIOR MEASUREMENTS

## 250

## 300

## 400

Height x Width x Depth

Height x Width x Depth

Height x Width x Depth

**ECOV**

1.724x183x451 mm

1.724x233x451 mm

1.724x333x451 mm

**ECOT**

847x183x451 mm

847x233x451 mm

847x333x451 mm

**ECOM**

554x183x451 mm

554x233x451 mm

554x333x451 mm

**ECOC**

408x183x451 mm

408x233x451 mm

408x333x451 mm

**ECOP**

320x183x451 mm

320x233x451 mm

320x333x451 mm

**ECOB**

262x183x451 mm

262x233x451 mm

262x333x451 mm

**ECOZ**

189x183x451 mm

189x233x451 mm

189x333x451 mm

**ECOL**

1.158/263x110/234  
x451 mm

1.158/263x159/334  
x451 mm



# PACKAGING IN KIT

The lockers are individually packaged in a cardboard pack, using recycled and recyclable strapping for packaging.

The initial pack contains assembly instructions.

The dimensions of the pack are: 1.850 mm high x 530 mm long x 65 mm thick depending on the model.






# INSTALLATION OF LEGS

## PVC LEGS



**25/1 PRO**





**25/2 PRO**




**25/3 PRO**





**25/4 PRO**





**30/1 PRO**





**30/2 PRO**



**30/3 PRO**





**30/4 PRO**





**40/1 PRO**



**40/2 PRO**



**40/3 PRO**







# INSTALLATION OF LEGS

## STEEL LEGS



**25/1 PRO**





**25/2 PRO**



**25/3 PRO**




**25/4 PRO**





**30/1 PRO**





**30/2 PRO**




**30/3 PRO**




**30/4 PRO**





**40/1 PRO**



**40/2 PRO**



**40/3 PRO**





# WALL FIXING

## Installation recommendation

It is recommended to secure the locker to the wall to ensure stability and prevent tipping during use. Select the most suitable screws, washers and plugs according to the type of wall to which the unit will be anchored.

Fittings not included.

